



Software Operators console Lifting mechanism Accessories





software | operators console | lifting mechanism | accessories

Control SW RCM

Control software can be delivered together with all afore-mentioned systems. It rapidly increases an efficiency of the system because it includes many features that comes in handy to an operator such as object tracking, motion detection alarm, digital image stabilization, vector maps, seismic sensors integration etc.

Network solution SW CNS.NET

- complete network solution for multiple surveillance systems (electro-optic systems, radars, seismic sensors etc)
- video transmission in real time
- storing of data on HDD (video, image, audio, coordinates of targets etc.)
- based on a TCP/IP client-server architecture and open textual communication protocol
- possibility to control from Android devices
- multiple levels of access rights









Operators console CU-5

Operator console CU-5 is a standalone unit designed to control all EVPÚ Defence Surveillance and Monitoring systems. CU-5 is a Windows based operators console and together with installed EVPÚ Defence SW offer to customer comfortable and operator friendly work for long time and increase effectiveness of operator work.



CU-5		
Display	15" TFT	
HMI interface	Keyboard, trackball, joystick	
Electrical and Electronic Interface		
Communication interface	Ethernet, USB	
Video input	analog	
Power supply	24 V DC (22 V - 32 V)	
Consumption	45 W (max)	
Environmental Conditions		
Operating temp.	-20 °C to +50 °C	
Storage Temp.	-40 °C to +60 °C	
Envir. Protection	IP65 open / IP66 close	
Dimension (W×D×H)	470 × 350 × 170 mm	
Weight	11,5 kg	

More information on www.evpudefence.com.

• EVPÚ DEFENCE

/	А	7
-,		

EVPÚ Defence a.s. Jaktáře 1781 686 01 Uherské Hradiště Czech Republic +420 572 557 542

+420 572 550 050



www.evpudefence.com evpu@evpudefence.com



